

IN THE CLAIMS

Please amend the claims as follows:

1. (currently amended) A work machine arrangement for a work machine having an engine, comprising:
 - a work machine body;
 - ~~an extensible~~ a telescopic arm connected to said work machine body, said extensible arm having an arm longitudinal axis; and
 - an engine cooling apparatus mounted to said work machine body, said engine cooling apparatus having an engine cooling apparatus longitudinal axis oriented substantially parallel to said arm longitudinal axis.
2. (original) The work machine arrangement as set forth in claim 1 wherein said engine cooling apparatus comprises a radiator.
3. (original) The work machine arrangement as set forth in claim 1 wherein said arm comprises a telescoping arm.
4. (original) The work machine arrangement as set forth in claim 1 wherein said arm is pivotable relative to said work machine body.
5. (original) The work machine arrangement as set forth in claim 1 wherein:
 - said arm comprises a telescoping arm; and
 - said arm is pivotable relative to said work machine body.
6. (original) The work machine arrangement as set forth in claim 1 wherein:
 - said work machine body has a body longitudinal centerline;
 - said arm longitudinal axis is offset to one side of said body longitudinal centerline; and

said engine cooling apparatus longitudinal axis is offset to the other side of said body longitudinal centerline.

7. (original) The work machine arrangement as set forth in claim 1 wherein:
said work machine body includes a rear portion; and
said engine cooling apparatus is mounted to said rear portion of said work machine body.

8. (original) A work machine arrangement, comprising:
a work machine body having a rear portion, said work machine body having a body longitudinal centerline;
an engine coupled to said work machine body;
a telescoping arm pivotally connected to said rear portion of said work machine body, said telescoping arm having an arm longitudinal axis located on one side of said body longitudinal centerline; and
an engine cooling apparatus mounted to said rear portion of said work machine body, said engine cooling apparatus having an engine cooling apparatus longitudinal axis oriented substantially parallel to said arm longitudinal axis, said engine cooling apparatus located on the other side of said body longitudinal centerline.

9. (original) The work machine arrangement as set forth in Claim 8 wherein said engine cooling apparatus comprises a radiator.

10. (currently amended) A work machine arrangement for a work machine having an engine, comprising:
a work machine body;
~~an~~ a telescopic arm connected to said work machine body, said arm having an arm longitudinal axis; and

an engine cooling apparatus mounted to said work machine body, said engine cooling apparatus having a engine cooling apparatus longitudinal axis oriented substantially parallel to said arm longitudinal axis.